

SPECIFICATIONS

MODEL NO.	600312.421, 600312.423C	600315.421
Nominal Capacity (BTU/HR)	11,000	13,500
Electrical Rating	115 VAC, 60 Hz., 1 ph.	
Compressor Rated Load Amps	10.7	11.5
Fan Motor Rated Load Amps	3.1	3.1
Compressor Locked Rotor Amps	50.0	50.0
Fan Motor Locked Rotor Amps	8.8	8.8
Heater Amps/Watts @ 120V AC	12.7 / 1530	
Refrigerant (R22) Oz.	16.0	17.0
Minimum Wire Size ***	12 AWG Copper Up to 24 ft.	
AC Circuit Protection	20 Amp Time Delay Fuse or HACR Circuit Breaker	
DC circuit Protection	Installation must comply with all National, State, Providence and/or local Electrical Codes	
Installed Weight (Pounds)	101	102
Minimum Generator	1 Unit 2.5KW	3.5KW
Size **	2 Units 4.0KW	5.0KW

* For distances over 24 ft. consult the National Electrical Code.

** The Dometic Corporation gives general guidelines for generator requirements. These guidelines come from experience people have had in actual applications. When sizing the generator, the total power usage must be considered. Also keep in mind generators lose power at high altitudes and from lack of maintenance.