

SPECIFICATIONS

MODEL NO.	620215.303
Nominal Capacity (BTU/HR)	13,500
Electrical Rating	115 VAC, 60 Hz., 1 ph.
Compressor Rated Load Amps	12.4
Fan Motor Rated Load Amps	3.1
Compressor Locked Rotor Amps	60.0
Fan Motor Locked Rotor Amps	8.8
Power, Cooling (KW)	1.7
Power, Heating (KW)	1.8
SCFM-High Speed Max./Min.	335/250
Total Static - Min./Max.	.12 / .65" W.C.
Refrigerant (R22) Oz.	15.5
Minimum Wire Size *	12 AWG Copper Up to 24 ft.
Circuit Protection	20 Amp Time Delay Fuse or HACR Circuit Breaker
DC Circuit Protection (user supplied)	1 Amp Fuse
Installed Weight (Pounds)	108
Minimum Generator	1 Unit 3.5 KW
Size *	2 Units 5.0 KW
Blower Operation / Cooling Mode	Cycles or continuous
Compressor Operation	Cycles, Delay on Start

- * For distances over 24 ft. consult the National Electrical Code.
- * The Dometic Corporation gives **GENERAL** guidelines for generator requirements. These guidelines come from experiences people have had in actual applications. When sizing the generator, the total power usage of your recreational vehicle must be considered. Also keep in mind generators lose power at high altitudes and from lack of maintenance.