



Intellitec

*Introducing
The Battery
Guard 2000*

*Keeping you moving
since 1976*

BATTERYGUARD2K
STARTING POWER GUARANTEED



Introducing the Battery Guard 2000 from Intellitec LLC

Battery Guard 2000 was the first battery run down protection system commercially available in the world, the system is specified by many of the largest fleet operators.

BATTERY GUARD 2K
STARTING POWER GUARANTEED



Key Features

- No more dead batteries
- Manual battery disconnect
- Ignition protected
- IP67 ECU & Connectors

Battery Guard 2000 constantly monitors the available battery power when the engine or charging system is off. If the battery voltage drops below 12.1V or 24.1V a voltage sensitive timer is triggered within the ECU is triggered.

If the available battery voltage remains below 12.1V or 24.1V uniformly for a full 4 minutes, the ECU will pulse the Intellitec latching relay and the battery will be disconnected, to GUARENTEE STARTING POWER. At this stage there will be no power at ignition, the vehicle operator must press the flashing reset switch and power to ignition is restored.

The operator can also manually disconnect the battery by pressing and holding the reset switch for 3 seconds.

Kit Part numbers	10-00660-100	10-00660-300	10-00660-200	10-00660-400
Specification	100A 12V	100A 24V	250A 12V	250A 24V
Nominal operating current	12V	24V	12V	24V
Actuation current	3.0A	1.2A	3.0A	1.2A
Min actuation Voltage	9.0V	18V	9.0V	18V
Max continuous carry current	100A	100A	250A	250A
Max short term carry current (30 seconds)	500A	500A	TBD	TBD
Ambient temperature	-40 to +85C	-40 to +85C	-40 to +85C	-40 to +85C
Contact life at full load	Min 10,000 cycles	Min 10,000 cycles	Min 10,000 cycles	Min 10,000 cycles
Stand by current	10mA	18mA	10mA	18mA
Short term over voltage	+24V	+36V	+24V	+36V
Reverse voltage protection	-800v	-800v	-800v	-800v
Positive voltage spike protection	+150v	+150v	+150v	+150v
Maximum actuation time	0.2 seconds	0.2 seconds	0.2 seconds	0.2 seconds

*Keeping you
moving since
1976*



Intellitec

*Intellitec LLC
1485 Jacobs Road
Deland
Florida
32724*

*Tel: 386-738-7307
Fax: 386-734-4013
Email: sales@intellitec.com*

www.Intellitec.com