

CAREFREE TRUCKIN' AWN OWNER'S MANUAL/INSTALLATION INSTRUCTIONS

052843-003 (Std. / B. F. Model)

READ ENTIRE INSTRUCTIONS BEFORE BEGINNING OPERATION. FOLLOW ALL CAUTIONS, WARNINGS AND NOTES TO PREVENT INJURY OR DAMAGE TO AWNING OR VEHICLE.

THIS MANUAL CONTAINS SECTIONS FOR: SAFETY, INSTALLATION, OPERATION, CARE AND MAINTENANCE AND WARRANTY.

SECTION 1: SAFETY INFORMATION

CAUTION: means a hazard that may cause minor or moderate injury if the warning is ignored. It also may mean a hazard that will cause damage to property.

CAUTION: THE COTTER PINS ARE HOLDING THE PRE-WOUND TENSION ON THE ROLLER ASSEMBLY. CARE MUST BE TAKEN TO PREVENT ANY DAMAGE OR INJURY WHEN REMOVING THESE PINS.

CAUTION: TAKE CARE NOT TO SCRATCH CAMPER SKIN!

CAUTION: THE AWNING IS NOW UNDER FULL SPRING TENSION: IF RELEASED FROM THIS POINT IT WILL ABRUPTLY ROLL UP TO THE STORED POSITION POSSIBLY CAUSING PERSONAL INJURY OR DAMAGE TO BOTH THE AWNING AND THE RV.

WARNING: SAFETY STRAP MUST BE PROPERLY FASTENED BEFORE MOVEMENT OF VEHICLE! FAILURE TO DO THIS WILL RESULT IN THE AWNING COMING LOOSE WHICH COULD CAUSE SERIOUS DAMAGE AND OR PERSONAL INJURY!

SECTION II: INSTALLATION

Read the following specifications before beginning installation.

- Verify that there is at least 3" of horizontal unobstructed mounting space above the door.
- Decide where the arms will fit and not interfere with lights, ladders, etc. TRUCKIN' AWN ROLLER ASSEMBLIES MEASURE FROM CENTER OF ARM TO CENTER OF ARM. I.E. 4' AWNING HAS BRACKET CENTERS OF 4' EVEN.
- Verify that there is at least 2" of space for the mounting of each vertical arm.

1. INSTALLATION OF AWNING RAIL

- A. Remove awning rail from package. Apply sealer (putty tape or silicone) to the back surface of the rail.
- B. Determine point (left to right) where awning will best cover the door and still allow for the mounting of the bottom brackets and upper brace.
- C. Position rail at least 3" above top of door and at the pre-determined left to right location.



D. Place safety strap behind center of rail as shown to the right. (Buckle must be on top side)

NOTE: THE AWNING RAIL MUST BE INSTALLED WITH THE SLOT POINT UP.

- E. Attach rail to camper by drilling 1/8" holes into camper and fastening with supplied #10 x 3/4" hex head scrwes. If there is no support behind the skin then drill 7/32" holes and secure rail using the 3/16" molly rivets. NOTE: IN SOME CASES IT MAY BE NECESSARY TO ADD ADDITIONAL SUPPORT TO HOLD
- F. THE AWNING RAIL!

2. HANGING OF TRUCKIN' AWN

- A. Attach each arm assembly to the roller assembly by inserting arm extrusion into the end cap casting. Secure using #10 x 3/4" black hex head screws.
- B. Unwrap enough vinyl from roller assembly to allow for easy insertion into awning rail.
- C. Slide entire awning into awning rail and position in pre-determined location over door.

D. Carefully remove cotter pins from end caps.

CAUTION: THE COTTER PINS ARE HOLDING THE PRE-WOUND TENSION ON THE ROLLER ASSEMBLY. CARE MUST BE TAKEN TO PREVENT ANY DAMAGE OR INJURY WHEN REMOVING PINS.

3. MOUNTING BOTTOM BRACKETS

- A. Align the arms parallel with the door frame, or as vertical as possible. (If the door frame does not appear to be straight).
- B. Place the top of the bottom brackets 55" below the awning rail slot. Mark the location of the bottom bracket. Have the height positioned such that the roller end cap such that it is resting against the protective rubber bumper.




- C. Remove cap nut, star washer and bolt used to attach the bottom bracket to the arm channel.
- D. Position the bracket at the previously marked location. Drill 7/32" holes and secure with 3/16" molly rivets, or drill 1/8" holes and secure bracket with #10 x 3/4" hex head screws.



E. Reattach the arm channel to the bottom bracket using the bolt, cap nut and star washer previously removed.

4. INSTALLING UPPER BRACE

- A. Open the awning to its full extension by pulling down on the pull strap. DO NOT EXTEND AWNING UPWARD AT THIS TIME!
- B. Lift one of the inner rafters out of the outer arm. Hold rafter up until it is perpendicular with the camper. *CAUTION: TAKE CARE NOT TO SCRATCH CAMPER SKIN!*
- C. Mark the position where the bottom of the rafter comes in contact with the camper. (This is near the slot that is cut into the rafter). This is the location where you will position the bottom of the hook portion of the brace hook.
- D.



4. INSTALLING UPPER BRACE (cont.)


D. Drill 1/8" holes into the camper and secure brace hook with the #10 x ¾" Hex Head screws. If there is no support behind the skin then drill 7/32" holes and secure with 3/16" molly rivets. Repeat with opposite side.

NOTE: IN SOME CASES IT MAY BE NECESSARY TO ADD ADDITIONAL SUPPORT FOR MOUNTING THE BRACE HOOK.

NOTE: BE SURE THAT THE BRACE HOOK IS POSITIONED SUCH THAT THE BRACE WILL REMAIN PERPENDICULAR WITH THE CAMPER.

5. SECURING CANOPY


- A. Check to see that the arms are aligned properly allowing the canopy to roll up straight.
- B. Drill two 3/32" holes through the awning rail, polycord and canopy approximately 2" from each end of the canopy. Secure canopy using a #6 x 3/8" phillips head screw in each hole.



SECTION III: OPERATING INSTRUCTIONS

1. TO EXTEND AWNING

- A. Unhook center safety strap.
- B. Grasp or hook the pull strap loop and unroll the awning.
- C. While holding on to the pull strap, lift one of the inner rafters up and out of the arm channel. Place the slotted end of the rafter over the brace hook that is installed on the camper.



- D. Repeat with opposite side.
- E. Loosen black locking knob and extend awning upward to a height where it will clear the door. Tighten black knob. NOTE: IF IT IS AT ALL POSSIBLE, TRY AND KEEP A LITTLE BIT OF DOWNWARD SLOPE FROM THE AWNING RAIL TO THE ROLLER ASSEMBLY!

2. TO CLOSE AWNING

- A. Loosen black locking knobs and lower arms down to stop bolts.
- B. Grasp pull strap and pull slightly outward. At the same time, release one of the rafters from the brace hook and store in the arm channel.
- C. Keep a firm grasp on the pull strap and then release the opposite rafter and store it in the arm channel. CAUTION: THE AWNING IS NOW UNDER FULL SPRING TENSION: IF RELEASED FROM THIS POINT IT WILL ABRUPTLY ROLL UP TO THE STORED POSITION POSSIBLY CAUSING PERSONAL INJURY OR DAMAGE TO BOTH THE CAMPER AND THE AWNING!
- D. Securely fasten center safety strap.

WARNING: SAFETY STRAP MUST BE PROPERLY FASTENED BEFORE MOVEMENT OF VEHICLE! FAILURE TO DO THIS WILL RESULT IN THE AWNING COMING LOOSE WHICH COULD CAUSE SERIOUS DAMAGE AND OR PERSONAL INJURY!

SECTION IV: CARE AND MAINTENANCE

1. CARE OF FABRIC

Mildew will not form on the awning material itself, but may form on the dust allowed to accumulate on the canopy. A quality vinyl cleaner such as Carefree Awning Magic will keep your vinyl awning looking like new. Follow instructions on container. **NOTE:** ALLOW CANOPY TO DRY COMPLETELY **BEFORE ROLLING AWNING UP.**

Metal surfaces should be cleaned with warm soapy solution and thoroughly rinsed.

2. PERIODIC MAINTENANCE

Like any other part of the RV, an owner should periodically inspect the awning. The following items should be checked.

- 1. All mounting screws are tight.
- 2. Check all pivot points for enlargements of holes or broken rivets.
- 3. Check that the awning rail is tight against coach and all screws are tight.
- 4. Check canopy for loose stitching and possible shrinkage.

Know your rights and responsibilities before operating this product! Please read the "limited" warranty provisions below carefully. Improper operation and maintenance, abuse, neglect, etc., will void your warranty.

- 1. Duration: Two Year Limited Warranty. Two years parts, labor and freight on all components.
- 2. Who gives this warranty? Carefree of Colorado, A Scott Fetzer Company (the "Company").
- 3. Who receives this warranty?

The original purchaser (the "Purchaser"), other than for purposes of resale, of Carefree Truckin' Awn. This warranty is not transferable.

4. Responsibilities of the Company under this warranty.

Repair or replace at Warrantor's option, of the covered part(s) which Warrantor, in the exercise of its reasonable discretion, determines to be effective; provided that the Warrantor receives notice of the defect within the stated warranty period for the respective product/ component. Warrantor will also pay the respective servicing dealer or agent for performing any repairs authorized by Warrantor as per the terms of this warranty. Company will allow for normal freight and labor charges - labor is based on Flat Rate Form. CHARGES FOR TRAVEL TIME AND MILEAGE ARE NOT COVERED BY THE WARRANTY.

5. Responsibilities of the Purchaser under this warranty.

- A. Promptly notify seller, or alternately, the Company of any claim hereunder.
- B. Retain dated proof of purchase for specified product, and provide it as requested.
- C. Inspect the awning upon purchase to confirm the condition of the canopy and the proper operation of the product.
- D. Perform "Periodic Preventative Maintenance" as specified in Owners Manual.
- E. Deliver any product claimed or found defective during warranty period to the nearest Carefree of Colorado Authorized Service Dealer. The Original Purchaser is responsible for any expenses related to delivery or pick up of product to/from the Service Dealer. Visit carefreeofcolorado.com for the name of nearest Authorized Service Dealer, or call Carefree a the phone number shown above.
- F. At the option the Company, return the product or part to Carefree Colorado for inspection. Carefree Authorization to Return form must be obtained before any product or part is returned.
- G. Use reasonable care in maintenance, operation, use and storage of the product in accordance with the instructions contained in the owner's manual.

6. What is covered by this warranty?

Defects on the manufacturer's material and workmanship of product under normal use, and which occur within the duration of the warranty period. On all awnings, the following parts are covered only as follows: (a) Fabrics, free from quality defects (normal wear and fading are excluded); (b) Roller Tube, against extrusion defects; (c) Springs (or Motor) Assembly(ies), against breakage; and (d) Hardware, against extrusion defects.

7. What is not covered under this warranty?

- A. Fabric damage such as pinholes or tears not reported within ten (10) calendar days of purchase.
- B. Improper installation and/or any damage or failure that results from improper installation of the product, including fabric damage caused by improper installation.
- C. Product abuse and normal wear. "Normal Wear" includes the occasional need to re-tension the awning.
- D. Conditions that are not related to the material or workmanship of the product: including any failure that results from an accident, wind, rain, water pooling, or other acts of God; purchaser's abuse; neglect; failure to operate, or use or maintain the product in accordance with the instructions provided in the Owners Manual supplied with the product; (failure to operate the product(s) in accordance with instructions in the Owner's Manual and on the product shall also

include the removal or alteration of any product component or device. In the event of any such removal or alteration, this warranty is void).

- E. Any component not sold or manufactured by the Company.
- F. ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL LOSS, DAMAGE, OR EXPENSE THAT MAY RESULT FROM ANY DEFECT, FAILURE, OR MALFUNCTION OF THE CAREFREE OF COLORADO PRODUCT. Some states do not allow the exclusion or limitation on incidental or consequential damages, so the above limitation or exclusion may not apply to you.
- G. Damage while traveling due to the awning not being properly stowed.
- H. Any failure that results from the use of another product with a Warrantor's product that is not specifically approved by the Warrantor.

8. When Warrantor will perform repair or replacement under warranty.

- A. Repair or replacement will be scheduled and performed according to normal work flow at the nearest Authorized Service Dealer, and depending on the availability of replacement parts.
- B. If the Purchaser does not receive satisfactory results from the Authorized Service Dealer, the Purchaser should contact the Carefree of Colorado Customer Care Department.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. No action to enforce this warranty shall be commenced later than 30 days expiration of the warranty period. The duration of this Limited Warranty also limits the duration of any implied warranty such as warranty of merchantability or fitness for a particular use or purpose. Some states do not allow such limitations so the implied warranty limitation may not apply to you. Carefree of Colorado reserves the right to change the specifications and design of any product without notice and with no obligation to make corresponding changes to products previously manufactured.



A Scott Fetzer Company 2145 W. 6th Ave Broomfield, CO 80020 (800) 622-3230

CAREFREE FABRIC EXTENDED PROTECTION PLAN

Plan Covers Fabric Damage Due to Wind & Rain!

Carefree Awnings use the best fabrics in the industry. No other brand can match Carefree's heavy duty vinyl and extra durable Weatherguard. But, the fact is, no part of the awning endures more abuse than the canopy. That's why no manufacturer can guarantee the fabric against wind and rain or other abuse.

Carefree's outstanding TWO & FOUR YEAR Limited Awning Warranty on conventional patio awnings and window awnings provides the best overall awning warranty protection in the industry! As the original purchaser, you get 100% parts, labor and freight on material and workmanship defects for the first two years of ownership on fabric; and 100% parts, labor and freight for the first four years of ownership on materials and workmanship defects on springs (or motor and electronics), roller and hardware. Consult the actual warranty for details, and you'll feel really good about your Carefree purchase.

Plan Even Covers Fabric Damage Due to Wind and Rain for 5 Years from Purchase Date!

But we want to make you even more confident by giving you an opportunity to purchase an Extended Protection Plan on the most vulnerable part of your awning, the canopy. Sign up below, here's what you'll get:

- the Extended Warranty will expand the Two Year Limited Warranty coverage that comes with your new Carefree Awning Fabric to also cover the fabric against wind, hail, rain and water pooling. If it's damaged, we'll send you a new canopy FREE of charge. We'll pay the freight on the replacement fabric; you will still be responsible for any labor/installation charges.
- three additional years (for a total of five years from the date of purchase) of protection on the awning FABRIC - same coverage, same conditions as above - 100% free canopy, we'll pay the freight, labor is not included.

Canopy replacement under the Fabric Extended Protection Plan is non-transferable and is limited to ONE FREE CANOPY. To take advantage of the Fabric Extended Protection Plan offer, simply complete the Extended Plan Registration Form below and mail it to Carefree with your check (payable to Carefree Fabric Protection Plan) and dated proof of awning purchase. Your canceled check will be your receipt.

Extended Protection Offer Expires 45 Days From Date of RV or Awning Purchase!

Product(s) Purchased	Hardware Model # & Production Code	Roller Serial #	\$US Fabric Ext. Plan Cost
Vinyl Patio Awnings			
Fiesta or Simplicity			\$69.95
Window Awnings Vinyl			\$19.95
Window Awning Vinyl			\$19.95
Window Awning Vinyl			\$19.95
Truckin' Awn			\$19.95

Note: Hardware Model # Production code found on the inside bottom of the front arm channel. Roller Serial # found on the roll bar toward the front end of the awning and on the care instruction label on valance; on window awnings, also found on sewn in side hem label!

Send Check to: Carefree of Colorado; 2145 West 6th Avenue; Broomfield, CO 80020