

# PATIO AWNINGS

## ARM CHART

<p><b>-01</b> <b>Universal</b> Fits straight sided coaches requiring 68" to 81" floorline to awning rail height • Spirit FX/Fiesta • Simplicity <b>\$280</b></p>	<p><b>-02</b> Airstream 1969 &amp; newer Argosy through 1985 • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-03</b> Pace Arrow MX Southwind Eagle Sportcoach Travco 270 Pace Arrow Eleganza Ultra Star '91 &amp; earlier • Spirit FX/Fiesta <b>\$326</b></p>	<p><b>-04</b> Fleetwood Cambria • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-05</b> Prevost Superior Avco Bluebird Newell • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-06</b> Winnebago Elandon Itasca Windcruiser • Spirit FX • Fiesta <b>\$326</b> <small>pre 1988</small> <small>1988 &amp; newer</small></p>		
<p><b>-07</b> Avion • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-08</b> Silver Streak • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-09</b> GMC • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-10</b> Telesar, Brougham Ultra Star 1992 &amp; newer *Requires Special Roller Assembly • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-11</b> Winnebago LeSharo Itasca Phasar • Spirit FX • Fiesta <b>\$326</b></p>	<p><b>-12</b> Argosy 1986 and newer • Spirit FX • Fiesta <b>\$326</b></p>		
<p><b>-14</b> HI-LO Fits all HI-LO Travel Trailer 52" to 65" floorline to awning rail height *Must be ordered with HI-LO Roller Assembly • Spirit FX • Fiesta • Simplicity <b>\$267</b></p>	<p><b>-15</b> SHORT Fits straight sided coaches requiring 63" to 68" floorline to awning rail height • Spirit FX • Fiesta • Simplicity <b>\$267</b> <small>Brackets Included</small></p>	<p><b>-16</b> LONG Fits straight sided coaches requiring 81" and over floorline to awning rail height • Spirit FX • Fiesta • Simplicity <b>\$303</b></p>	<p><b>-17</b> PICK-UP CAMPER Fits pick-up campers with minimum 56" floorline to awning rail height • Spirit FX • Fiesta • Simplicity <b>\$267</b></p>	<p><b>-18</b> EXTRA LONG Fits straight sided coaches requiring 96" and over floorline to awning rail height • Spirit FX • Fiesta <b>\$303</b></p>	<p><b>ONE-Touch</b> 12V Arms Universal 76" to 85" awning rail to bottom bracket range <b>\$968</b></p>	<p><b>Quick 'N' EZ</b> 12V Arms Universal 68" to 81" awning rail to bottom bracket range <b>\$735</b> or <b>\$786</b> <small>(10' model)</small></p>	<p><b>Eclipse</b> 12V Arms Universal Requires a flat, unobstructed area 4.25" wide and 69.5" high measured from the awning rail down <b>\$999</b> or <b>\$1,208</b> <small>(9' model - hardwired)</small></p>
<p><b>Goose Neck Arms</b></p> <p><b>-22</b> SHORT (54") <b>\$267</b></p> <p><b>-21</b> STANDARD (56") <b>\$280</b></p> <p>Includes Remote Locks &amp; Canopy Clamps</p>		<p><b>Installation Aids</b> (used in some applications when more standoff is required from sidewall)</p> <p><b>Top bracket standoff kit (pair)</b> 249153 . . . . . \$9</p> <p><b>Bottom bracket standoff kit (pair)</b> 169037 . . \$18</p>					

**ARM STYLE REFERENCE CHART**

ARM APPLICATION	ARM STYLE	#1 LENGTH	#2 LENGTH	#3 LENGTH	#4 LENGTH	AWNING TO FLOORLINE MEASUREMENT
01 UNIVERSAL	straight	66" straight	56" straight	60" straight	40" straight	68"-81"
02 AIRSTREAM	curved	72" bent	53" bent	39" bent	47" bent	78"-90"
03 PACE ARROW	curved	66" bent	56" bent	60" bent	40" bent	72"-84"
04 CAMBRIA	curved	60" straight	56" bent	54" straight	46" straight	66"-78"
05 PREVOST	curved	66" bent	56" straight	60" bent	40" straight	72"-76"
06 ELANDAN	curved	57" straight	56" bent	50" straight	50" straight	63"-75"
07 AVION	curved	66" bent	53" bent	60" bent	40" straight	72"-84"
08 SILVERSTREAK	curved	66" bent	53" straight	60" bent	39" straight	72"-76"
09 GMC	curved	66" bent	52" bent	60" bent	40" straight	72"-84"
10 TELSTAR	curved	58" bent	53" bent	53" bent	44" straight	64"-76"
11 LE SHARO	curved	60" bent	52" straight	54" bent	44" straight	66"-70"
12 ARGOSY	curved	66" bent	56" bent	54" bent	44" straight	72"-84"
14 HILO	straight	49" straight	48" straight	42" straight	40" straight	52" minimum
15 SHORT	straight	60" straight	56" straight	50" straight	50" straight	63"-68"
16 LONG	straight	72" straight	62" straight	60" straight	40" straight	81"-96"
17 PICKUP CAMPER	straight	55" straight	52" straight	50" straight	50" straight	56" minimum
18 TETON	straight	88" straight	62" straight	79.5" straight	40" straight	96" minimum
20 LEGACY (9' 8")	straight	72" straight	68" straight	66" straight	60" straight	n/a
21 GOOSENECK (STANDARD)	straight	55" strt front arm 66" strt rear arm	52" strt front arm 56" strt rear arm	50" strt front arm 60" strt rear arm	50" strt front arm 40" strt rear arm	56" front arm 68"-81" rear arm
22 GOOSENECK (SHORT)	straight	53" strt front arm 66" strt rear arm	52" strt front arm 56" strt rear arm	48" strt front arm 60" strt rear arm	48" strt front arm 40" strt rear arm	54" front arm 68"-81" rear arm
23 MONACO/ H.R.	straight	72" straight	56" straight	60" straight	40" straight	n/a
XL	straight	88" straight	62" straight	79.5" straight	40" straight	96" minimum
MONACO XXL	straight	75" straight	62" straight	66" straight	40" straight	n/a

**NOTES:**

1. One-Touch Beltline arms are available for certain 5<sup>th</sup> wheel applications. Contact Carefree or your Carefree Dealer for additional information.
2. All SPIRIT FX/FIESTA curved arm applications DO NOT include canopy clamps.
3. Curved hardware may not always perfectly contour to the RV body.
4. Curved hardware DOES NOT accept Automatic Awning Support or other awning supports.
5. Curved hardware DOES NOT accept Alumaguard rollers.

## CURVED ARM MEASUREMENT GUIDE

If the RV is not shown in the chart on page 40, use the form below so that Carefree can determine the correct configuration.

### NOTES:

1. Some curved arm applications are not available.
2. Curved hardware may not always perfectly contour to the RV body.

